SILICON PHOTONICS ENABLED LASER DOPPLER VIBROMETRY AND ITS APPLICATION IN CARDIOVASCULAR MEDICINE

Roel Baets, Yanlu Li

Optimess 2019, Antwerp





WHAT IS SILICON PHOTONICS?

The implementation of high density photonic integrated circuits by means of CMOS process technology in a CMOS fab



Pictures, courtesy of imec



WHY SILICON PHOTONICS

- High index contrast \Rightarrow very compact PICs
- CMOS technology ⇒ nm-precision, high yield, existing fabs, low cost in volume
- High performance passive devices
- High bitrate Ge photodetectors
- High bitrate modulators

unec

GHENT

UNIVERSITY

- Wafer-level automated testing
- Hierarchical set of design tools
- Light source integration (hybrid/monolithic?)
- Integration with electronics (hybrid/monolithic?)













ON-CHIP AWG SPECTROMETER (200 X 350 µM²)



BEND WAVEGUIDE



S.K. Selvaraja, JLT 27, p.4070 (2009)





THE PAST 5-10 YEARS: STUNNING INDUSTRIAL DEVELOPMENT IN SILICON PHOTONICS

- active optical cables (eg PSM4: 4x28 Gb/s on parallel fibers)
- WDM transceivers (eg 4 WDM channels x 25 Gb/s on single fiber)
- coherent receiver (eg 100 Gb/s PM-QPSK)
- fiber-to-the-home bidirectional transceiver (eg 12 x 2.5 Gb/s)
- monolithic receiver (eg 16x20Gb/s)
- 40Gb/s, 50Gb/s and 100 Gb/s Ethernet (future: 400Gb/s)



SILTERRA

ADVANCED MICRO FOUNDRY

💢 Inphi

Finisar

........

CISCO

MEDICINE AND LIFE SCIENCE

Enormous challenges:

- Ageing society
- Keep ever more performant health care affordable for society
- More focus on preventive medicine

Technology can help:

- Low-cost personal, bed-side and point-of-care medical devices
- Minimally invasive devices (cathetered approaches, implants, electronic pills)
- Rapid diagnostics (immuno-assays based on disposable use-once chips)

ASSETS OF SILICON PHOTONICS FOR MEDICINE AND LIFE SCIENCE

Low cost (even in moderate volume)

Very compact devices

Can address needs from visible to mid IR

Mature supply chain



CHIP COST IN A CMOS FAB (ORDER OF MAGNITUDE)

IIII GHENT

unec

	Simple photonic chip	Complex photonic chip
Very low volume (<u>MPW</u>) (~ 100-1000 chips)	100€	1000€
Low volume (1K - 10K chips)	10€	100€
Moderate volume (10K – 1M chips per year)	3€	30€
High volume (>1M chips per year)	<1€	<10€

In high volume, the chip is "for free"

Even in moderate volume the cost per chip is low Even in low volume the chip can have a high value for money

MAIN APPLICATIONS OF SILICON PHOTONICS IN MEDICINE

Low cost matters

IIII GHENT

UNIVERSITY

In-vitro Diagnostics

> **Point-of-care Medical Devices**

Wearables (including Implants)

> Catheterized Devices and Smart Pills



Small size matters

CARDIOVASCULAR DISEASES



Cardiovascular disease: The biggest killer in the world, responsible for **30%** of deaths (WHO, 2011)



CARDIOVASCULAR DISEASE (CVD)

Arteriosclerosis: stiffening of arterial walls

Atherosclerosis: deposition of plaque on the inner arterial walls (which can lead to stiffening)

Stenosis: abnormal narrowing in a blood vessel

Heart Dyssynchrony: left and right part of the heart are not triggered synchronously

A <u>map of the skin displacement</u> above arteries can help for early diagnosis of these pathologies.

- Method: laser Doppler vibrometry
- Technology: silicon photonics
- Use: by general practitioner

1ec

 $\widehat{\blacksquare}$

GHEN[®]

Normal Artery ------- Damaged Artery

Artery

PULSE WAVE VELOCITY (PWV): MARKER FOR ARTERIAL STIFFNESS



 $\widehat{\blacksquare}$

GHEN[®]

Pulse Wave Velocity: speed by which the pressure wave caused by a heart beat travels in the arteries

 $PWV = \frac{pulse\ travel\ distance}{pulse\ travel\ time}$

Larger PWV -> Higher arterial stiffness -> Higher risk of cardiovascular events

APPROACH: MEASURE LOCAL COMMON-CAROTID PWV



Method used: measure skin movement by Laser Doppler Vibrometry (LDV)



WORKING PRINCIPLE OF LDV



The displacement $\Delta d(t)$ can be retrieved by measuring $\theta(t)$, based on the relation

$$\theta(t) = \frac{2\pi}{\lambda_0} \cdot 2\Delta d(t) + \text{const.}$$

WORKING PRINCIPLE OF LDV: HOMODYNE DETECTION





5 mm

PHOTONIC INTEGRATED CIRCUITS (PICS)

- PICs fabricated through Europractice MPWservice
- iSiPP50G SOI process at imec
- Laser diode is mounted on a Micro-Optic Bench (MOB) which is attached to the PIC







HYBRID LASER INTEGRATION: MICRO-OPTIC BENCH APPROACH





PACKAGING OF THE 6-BEAM LDV



THE EXTERNAL VIEW OF THE MULTI-BEAM LDVS





Y. Li, J. Zhu, M. Duperron, P. O'Brien, R. Schuler, S. Aasmul, M. De Melis, M. Kersemans, R. Baets, Six-beam homodyne laser Doppler vibrometry based on silicon photonics technology, Optics Express, 26(3), p.3638-3645 (2018)



PERFORMANCE SPECIFICATION OF THE CARDIS DEMO

Parameters	Value	Note
Working wavelength	1550 nm	
Spacing of channels	5 mm	
Number of channels	6 x 2	
Sampling rate	100 ksps	
Output power (each beam)	20 μW – 40 μW	At the target side
Displacement resolution	< 10 pm/sqrt(Hz)	When the target is at the focusing position, and with retroreflective tape
Working distance	71 mm	
Laser linewidth	800 kHz	DFB laser, with passive cooler



ONE DEMONSTRATION: LAMB-WAVE VELOCITY MEASUREMENT

- A Lamb wave is generated on an Al plate by using a PZT actuator with a sine-burst voltage
- Vibrations at six points are simultaneously measured with our 6-beam LDV.
- Using a DAQ with a higher sampling rate (1Msps) to capture the Lamb wave.



Parameter	Value
Al plate thickness	1.45 mm
Central frequencies	31.5kHz, 41.5kHz, 91.5kHz
Cycle number	4
PZT voltage amplitude	150 Vpp
Spacing reflectors	5 mm

DISPERSION CURVE: MEASUREMENT VS CALCULATION



GHENT

UNIVERSIT

unec

The phase velocities of the Lamb waves are calculated, with the assumptions:

- density $\rho = 2700 \text{ kg/m}^3$
- Young's modulus E = 70 GPa
- Poisson coefficient v = 0.33

The calculated results fit very well with the measured results (the error bars are caused by the sampling resolution)

CLINICAL FEASIBILITY STUDY AT INSERM, PARIS

GHENT UNIVERSITY



CAROTID-FEMORAL (CF) PWV MEASUREMENT



Sensor	cf-PWV
CARDIS LDV	5.88 ± 0.30 m/s
Commercial cf- PWV meter (Sphygmocor)	5.96 ± 0.40 m/s

The cf-PWV measured by the CARDIS LDV is very similar to that measured by a commercial PWV meter.

COMMON-CAROTID (CC) PWV MEASUREMENT RESULTS

MEASURED CC-PWV VALUES

IIII GHENT

UNIVERSITY

umec

29

FUTURE DEVELOPMENTS

- Measure without retroreflective tape
 - Improve SNR (higher power, move to shot noise limit)
 - Change wavelength
- Reduce speckle noise
 - Average between several beams; select best beam...
 - Rapid beam scanning (easy to realize on-chip)
- Increase number of beams $(1x6 \rightarrow 10x10 \rightarrow 100x100...)$

THE MEASUREMENT SETUP FOR THE BEAM AVERAGING

To ensure we can demonstrate the beam averaging effect, we add an extra lens system to ensure the six beams are measuring the same vibration.

DESPECKLE RESULTS WITH AVERAGING METHODS

• The signal with the best SNR (sig4) is used as the benchmark.

 $\widehat{\blacksquare}$

GHENT

UNIVERSITY

unec

- Two averaging methods: average to the IQ signals (before demodulation) or to the displacement signals (after demodulation).
- It is shown that the averaging method works, and the IQ averaging provide better results.

Y. Li, et al, Speckle mitigation in laser Doppler vibrometry based on a compact silicon photonics chip, CLEO 2018

CONCLUSIONS & OUTLOOK

Silicon photonics has the potential of serving many medical applications, in particular for point-of-care, in-the-body devices and in-vitro diagnostics

Key assets: compact size and volume; low cost

Case discussed here: Pulse Wave Velocity (PWV) measurement

- Excellent performance for carotid-femoral PWV
- Work in progress for local carotid PWV

On-chip LDV has a lot of potential for advanced NDT applications whenever performance, cost or device volume matters

ACKNOWLEDGEMENTS

Funding

Collaborations (on Laser Doppler Vibrometry)

Video

Louise Marais and colleagues, Inserm

Photonics Research Group of Ghent University – imec

<u>File Edit View History Bookman</u>	ks <u>T</u> ools <u>H</u> elp		and the second second				
Market Inbox (3,184) - ilse.vanroyen 🛛 🗙	🔞 Publications 🛛 🗙	🚊 Biblio	🗙 🛛 💼 Ghent University	y Academic Bi 🗙	G 2019 IEEE Internatio	onal Topic 🗙 🛛 🖯	Current contributions - U
$\left(\leftarrow ight) ightarrow $ C (a)	🛛 🔒 https://www.uantwerpen.l	be/en/conferences/optim	ess/programme/current-con	ntribution/#	··· 🗟 🖒	🔾 Search	
A Most Visited D Getting Started	d 🛅 From Internet Explorer 🛛 Kruidva	t-BEvl - Kruidv					
	of Antv	sity verp	M	BL me	ets OPT	IMES	5 2019
	About Keynote speaker	rs Programme Sho	ourt course and workshops	Exhibition	Abstract submission	/ Registration	Travel information
	Programme > Scientific programme	Abstract sub which have Current	omission is still running till 30 May been accepted up till now. Contributions	y 2019. Below is th	e list of contributions	-	
		Name	Title		Affiliation		
		Song Zhang	High-speed 3D shape measu applications	urement and	Perdue University		
		Erwin Hack	Optical measurement techni	liques	EPFL Lauzanne		
		Christian Rembe	State of the Art of Laser-Dop and Future Trends	ppler-Vibrometry	Clausthal University		
		Giancarlo Pedrini	Digital Holography digital ho erosion measurements unde environmental conditions in tokamak	olography for er extreme nside the ITER	Institut für Technische Optik at the University of Stuttgart		
		Roel Baets	Silicon photonics enabled La Vibrometry and its application cardiovascular medicine	aser Doppler ion in	UGent		
		Adriana Na	va Ear recognition using fringe technique	projection	Unidad Interdisciplinaria de Ingenierias, Mexico		
📀 🖸 📋 🧿							